Fujitsu recommends Windows 8 Pro.

Data Sheet Fujitsu LIFEBOOK T902 Tablet PC

Your Excellent Flexible Companion

As a mobile professional, the Fujitsu LIFEBOOK T902 offers you the perfect versatile and flexible Tablet PC. The 33.8 cm (13.3-inch) convertible notebook enables maximum convenience and flexibility with a modular bay for additional battery runtime or storage as well as pen and finger input. In addition, the latest connectivity standard 4G/LTE provides ultimate connectivity, facilitating work and business trips.

Notebook and versatile Tablet PC in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch with the dual digitizer.

Bi-directional rotatable 33.8 cm (13.3-inch, 16:9) display and dual digitizer for pen input plus capacitive multiple-touch screen for finger input

Flexible working

Increase your productivity and adapt the Notebook to your particular way of work

Modular bay for an optional second hard disk drive, DVD/Blu-Ray drive, second battery or weight saver

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Optional integrated 4G/LTE or 3G/UMTS (incl. GPS), WLAN and Bluetooth

Highest security

Protect your company data against unauthorized third-party access.

 Advanced Theft Protection (Intel[®] Anti Theft & Computrace[®]), fingerprint sensor, SmartCard reader, optional TPM module and Full Disk Encryption (FDE)

Ergonomic working

Brilliant display with automatic adaption of the brightness to your working environment.

- High brightness LED HD+ display with integrated Ambient Light Sensor (ALS)
- Anytime USB Charge to charge phones/media devices even when the system is turned off









intel

Components

Processor	Intel® Core™ i7-3540M processor (3.0 GHz, up	to 3.7 GHz, 4 MB)	
	Intel® Core™ i5-3340M processor (2.7 GHz, up		
	Intel® Core™ i5-3320M processor (2.6 GHz, up	to 3.3 GHz, 3 MB)	
	Intel® Core™ vPro™ Processor - Best Platform fo	or Businesses of all sizes	
	Intel® Core™ Processor with Intel® Small Busin	ess Advantage - Smart Platform for Unmanaged Small Business	
Operating systems			
Operating system	Windows [®] 7 Professional 64-bit	Windows 8	
	Windows [®] 7 Professional 32-bit	Windows 8 Pro	
		Windows® 7 Professional 32-bit	
o		Windows® 7 Professional 64-bit	
Operating system compatible	Windows® 7	Windows 8 Windows® 7	
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC	3-12800, SO DIMM	
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	LIFEBOOK T902 Windows® 7 only	LIFEBOOK T902	
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
, Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1600 MHz		
Hard disk drives (internal)	SSHD, 5400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.		
	SSD SATA III, 256 GB, 2.5-inch, Opal TCG		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch, Opal TCG		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	mSATA, 32 GB		
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes			
	ShockSensor for HDD shock protection		
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/q/n		
v 1 = 7	Intel [®] Centrino [®] Wireless-N2200 b/g/n		
Wireless technologies			
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, 1x for Bluetooth (on Bluetooth module)		
WLAN notes	Import and usage according to country-specific regulations.		
UMTS/GPS notes	Including GPS functionality		
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)		
v 1 – <i>r</i>	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
Bluetooth (optional)	Bluetooth 4.0		

Modular bay options	2nd battery 2nd hard disk drive (S-ATA II)	
	Blu-ray Disc™ Triple Writer	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK T902 Windows® 7 only LIFEBOOK T902	
General system information		
Chipset	Intel® QM77	
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module	
BIOS features	BIOS Flash EPROM	
	BIOS based on Phoenix SecureCore	
Display	33.8 cm (13.3-inch), TFT, (HD+), Anti-glare touchscreen, 1600 x 900 pixel, 500:1, 300 cd/m ²	
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid.	
. /	Integrated ambient light sensor for automatic backlight adjustment to the working environment.	
Aspect ratio	16:9	
Brightness - typical	300 cd/m ²	
Contrast - typical	500:1	
Ambient light sensor	Integrated	
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	
Graphics		
TFT resolution (HDMI)	up to 1920 x 1200	
TFT resolution (VGA)	up to 1920 x 1200	
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200	
TFT resolution (DisplayPort on Port Replicator)	up to 2560 x 1600	
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors	
Graphics features	DirectX 11	
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	
Interfaces		
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	
SmartCard slot	1	
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)	
USB 3.0 total	2	
USB 2.0 total	2 (1 left side with Anytime USB Charge functionality)	
VGA	1	
HDMI	1	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone		
Internal microphones	2 (digital)	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
Wired communication		
LAN	Ruilt in 10/100/1000 MRit/s Intol® 82570 I M	

LAN

Built-in 10/100/1000 MBit/s Intel® 82579 LM

Keyboard and pointing devices	
	Spill-resistant keyboard or optional anti-bacterial spill-resistant keyboard#Including keyboard light
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
	Fingerprint sensor
	Launch keys
	Application buttons
	Tablet Pen
	Touch-screen
	Multi gesture touchpad with two mouse buttons
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Camera	Optional: Built-in webcam, Full HD (2.073 megapixel) (Microsoft® Lync™)
Power supply	
AC Adapter	19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm
Votes	100W AC Adapter for usage with Port Replicator
st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh
lst battery	Li-Ion battery 6-cell, 72 Wh (6.700mAh battery) mAh
2nd battery (optional)	Li-Ion battery 3-cell, 2600 mAh, 28 Wh
Runtime 1st battery	up to 7h 40m
Runtime 1st + 2nd battery	up to 10h 20m
Battery charging time	~ 180min (6.700mAh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
ballery notes	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct produc
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower
	and may vary depending on product model, configuration, application and power management settings. The batter
	capacity slightly decreases with every charging cycle and over the lifetime.
Power consumption	
Power consumption note	See white paper Energy Consumption
ink to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=da265eb7-83d9-4708-9b98-e6325c7649a2
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	326 x 244 x 27.1 mm front / 31 mm back (without foot) mm
Weight	1.89 kg
Neight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Dperating ambient temperature	5 - 35 °C
· · · · · · · · · · · · · · · · · · ·	
Operating relative humidity	20 - 85 % (running)
Additional Software	
dditional software (preinstalled)	Adobe® Reader®
	Microsoft [®] Touch Pack for Windows [®] 7
	Nero Essentials (burning software)
	Norton Internet Security (incl. Firewall) 60 days version
	Application Panel
	Auto Rotation Utility
	Display Manager
	Fujitsu Recovery (Hard Disk Based Recovery)
	Plugfree Network
	Power Saving Utility
	Security Application Panel
	ShockSensor Utility
	Tablet Button Utility
	Microsoft Office - buy license to activate the pre-installed Microsoft Office

Additional Software		
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software CyberLink YouCam Recovery DVD (Windows® 7)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software CyberLink YouCam Recovery DVD for Windows®
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intrusion switch (optional) Intel® Standard Manageability WoL (Wake on LAN)	
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platf	form
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	
Security		
Physical Security	Kensington Lock support	
System and BIOS Security	Advanced Theft Protection (Intel® Anti Theft & Comput Norton Internet Security (incl. Firewall) 60 days version Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Optional: Trusted platform module (TPM 1.2)	
User Security	Integrated Fingerprint Sensor Integrated SmartCard slot User and supervisor BIOS password Hard disk password OmniPass security software	
Compliance		
Product	LIFEBOOK T902	
Europe	CE CE! CB IT-Eco-Declaration Nordic Swan in progress	
USA/Canada	cUL	
Global	Microsoft Operating Systems (HCT / HCL entry / WHQL) RoHS (Restriction of hazardous substances) WiFi certified Wireless LAN modules WEEE (Waste electrical and electronic equipment) EPEAT® in progress (dedicated regions) ENERGY STAR® 5.0 in progress	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates	
Port Replicator interfaces (optional)	Portreplicator	

Port Replicator interfaces (optional)		
DC-in	1 (19V)	
Power on switch	1	
USB 3.0 total	4	
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.	
VGA	1	
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)	
Ethernet (RJ-45)	1 (10/100/1000)	
Kensington Lock support	1	
Notes	Port replicator does support 0-Watts functionality. DisplayPort is shared with DVI exclusive usage.	
Warranty		
Standard Warranty	2 years	
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)	
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty	
Maintenance and Support Services - th	e perfect extension	
Recommended Service	9x5, Response Time: Next Business Day	
C D i il lulu	E years after and af aradyst life	
Spare Parts availability	5 years after end of product life	



Notebookcheck.com

"Very Good" (89%), Fujitsu LIFEBOOK T902, Germany -January 18, 2013

Recommended Accessories

Port	Rep	licator
------	-----	---------



Flexibility, expandability, desktop replacement and investment protection
are just a few benefits of Fujitsu docking options. It takes just a second
to attach your notebook to the Port Replicator and get connected to your
external display, keyboard and mouse. Your workplace is simple and tidy
while you are instantly ready to work with your notebook.Order Code:
S26391-F1187-L100

Flexibility, expandability, desktop replacement and investment protection

are just a few benefits of Fujitsu docking options. It takes just a second

while you are instantly ready to work with your notebook.

to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy

Port Replicator



Order Code: S26391-F1186-L110

Order Code:

S26391-F1187-L110

Car/Truck Power Adapter 90	People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.Order Code: S26391-F2613-L610
Microsaver® DS Ultra thin	The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.
Supreme Case Midi 13	The Supreme Case Midi 13 protects notebooks with up to 13 inch screens. Order Code: A padded notebook compartment with shock-absorbing foam ensures your S26391-F119-L750 notebook is well protected. A further pocket is provided for storage of power adaptors and office supplies. With its leather finish and professional design, it is ideal as a functional business case.
Bluetooth® Mouse V470	The latest Bluetooth technology makes cables a thing of the past. The Order Code: Bluetooth® Mouse V470 has a sensitive laser sensor with a resolution of LTC:M-RCQ142 1.000 dpi. This delivers smoother cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.
Wireless Notebook Mouse WI610	The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.
CELVIN® Drive M200	The CELVIN Drive M200 is an ultra-portable and high-class storage device. Order Code: Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever.
HS S2000NC Headset	The HS S2000NC Headset offers more than current headsets. Besides superbound order Code: sound quality, the headset provides an impressive feature: a button to suitch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for long hours travelling by rail or air.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK T902, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T902, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-08-23 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions